KillTest

更に上のクオリティ　更に上のサービス

問題集

http://www.killtest.jp

1年で無料進級することに提供する

Exam : **C2150-197**

Title : IBM Security Identity Manager V6.0 Implementation

Version : DEMO

1.Which is true for the relationship between provisioning policies, services, and roles?
A. A provisioning policy governs only services that are associated the same business unit or sub tree of the business unit with which the policy is associated. A role referenced in the provisioning policy must be associated the same business unit or sub tree of the business unit with which the policy is associated.
B. A provisioning policy governs only services that are associated the same business unit or sub tree of the business unit with which the policy is associated. A role referenced in the provisioning policy can be anywhere in the tree of the organization.
C. A provisioning policy governs services that are anywhere in the tree of the organization. A role referenced in the provisioning policy must be associated the same business unit or sub tree of the business unit with which the policy is associated.
D. A provisioning policy governs services that are anywhere in the tree of the organization. A role referenced in the provisioning policy can be anywhere in the tree of the organization.
Answer: A
Explanation:http://www01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/planning/cpt/cp t_ic_plan_orgtree_scope_polprov.htm

2.When applying an IBM Security Identity Manager (ISIM) fixpack in a clustered ISIM installation which statement is correct?
A. Websphere application and messaging clusters must be stopped prior to installing the ISIM fixpack.
B. Websphere application and messaging clusters must be running prior to installing the ISIM fixpack.
C. All Websphere processes must be stopped prior to installing the ISIM fixpack.
D. All Websphere processes must be running prior to installing the ISIM fixpack.
Answer: A

3.Which actions are best practice for securing IBM Security Identity Manager LDAP data?
A. Disabling anonymous read access, enabling SSL communication only
B. Allow only read access to IBM Security Identity Manager LDAP
C. Run the IBM Security Identity Manager server as non-root user
D. Enabled WebSphere global security
Answer: A
Explanation:http://www01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/securing/cpt/cp t_ic_security_ssl_recommend.htm?lang=en(expand security, and click secure environment practices, see table 1)

4.When gathering requirements for a Provisioning Policy design, which type of owner is used for orphan accounts?
A. An owner with a contractor email address
B. An account manager
C. An account owner
D. A group owner
Answer: B

5.When gathering requirements for setting the Password policy which two tasks should be identified for system-wide password settings? (Choose two)

A. Synchronizing password changes for all sponsor accounts
B. Enabling forgotten password authentication
C. Enabling forgotten password date rule
D. Creating a password strength rule
E. Creating a password notation rule
Answer: B,D