

KillTest

更に上のクオリティ 更に上のサービス



問題集

<http://www.killtest.jp>

1年で無料進級することに提供する

Exam : **98-375**

Title : HTML5 Application
Development Fundamentals

Version : DEMO

1.Which three properties can be used with the TouchEvent object in the Safari touch API? (Choose three.)

- A. offsetTop
- B. clientHeight
- C. scale
- D. touches
- E. rotation

Answer: C,D,E

2.You create an instance named "ac" of an accelerometer object.

Which code fragment will retrieve a single update?

A. `ac = navigator.accelerometer;`

B. `ac.getAcceleration(accelerometerFunction);`

C. `ac.watchAcceleration(accelerometerFunction);`

D. `ac.clearWatch(watchid);`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

3.Which three technologies does HTML5 encompass? (Choose three.)

- A. CSS
- B. ASP.NET
- C. C#
- D. JavaScript
- E. HTML

Answer: A,D,E

Explanation: * HTML5 has full CSS3 Support.

* While developing HTML5 some rules were established including: New features should be based on HTML, CSS, DOM, and JavaScript

4.Which CSS property defines which sides of an element where other floating elements are not allowed?

- A. float
- B. position

C. display

D. clear

Answer: D

5.What is the default value of the CSS position property?

A. fixed

B. absolute

C. static

D. relative

Answer: C