

# *KillTest*

更に上のクオリティ 更に上のサービス



## 問題集

<http://www.killtest.jp>

1年で無料進級することに提供する

**Exam** : **9L0-612**

**Title** : Security Best Practices for  
Mac OS X v10.4 Exam

**Version** : DEMO

**1.What are the recommended POSIX permissions for a web folder being shared through WebDAV?**

- A.user - www group - www user/group/other - 775
- B.user - root group - wheel user/group/other - 775
- C.user - administrator group - web user/group/other - 744
- D.user - administrator group - everyone user/group/other - 750

**Correct:A**

**2.What Common Criteria tool lets you specify which log events to display?**

- B./usr/sbin/ccfilter
- C./usr/sbin/auditfilter
- D./usr/sbin/auditreduce

**Correct:D**

**3.What is the result of adding the line below to the default slapd.conf file? disallow bind\_anon**

- A.All users must authenticate to connect to servers.
- B.Clients will be required to provide authentication to use LDAP.
- C.Nothing changes because that is the default setting for Open Directory.
- D.Anonymous BIND (Berkeley Internet Name Daemon) will no longer be used for this server.

**Correct:B**

**4.You have first enabled Personal File Sharing on your computer, and then turned on the built-in firewall. How does the default behavior of the Mac OS X firewall affect file sharing on your computer?**

- A.No computer can connect to your computer via AFP.
- B.Any computer can connect to your computer via AFP.
- C.Only computers on the local subnet can connect to your computer via AFP.
- D.Only computers with a local Bonjour address can connect to your computer via AFP.

**Correct:B**

**5.Which command will force users on local computers to create passwords of at least 12 characters, whether or not they are connected to a directory server?**

- A.pwpolicy -l /NetInfo/DefaultLocalNode -a root -setpassword minChars=12
- B.passwd -l /NetInfo/DefaultLocalNode -a root -setglobalpolicy minChars=12
- C.passwd -n /NetInfo/DefaultLocalNode -a administrator -setpassword minChars=12
- D.pwpolicy -n /NetInfo/DefaultLocalNode -a administrator -setglobalpolicy minChars=12

**Correct:D**

**6.Which file do you configure to enable Common Criteria auditing on startup?**

- A./etc/audit
- B./etc/hostconfig
- C./etc/security/cc\_audit
- D./etc/security/audit\_warn

**Correct:B**

**7.When using certificates, what role does a Certificate Authority (CA) play?**

- A.A CA must be present on the server before SSL can be enabled.
- B.A CA is a trusted third party that ensures the identity of the server.
- C.A CA determines what ciphers are available for symmetric encryption.
- D.SSL routes traffic through the CA to verify the identity of the client and server.

**Correct:B**

**8.Which statement best describes Wired Equivalent Privacy (WEP)?**

- A.WEP is a moderately secure firewall for wireless devices.
- B.WEP optimizes performance of 802.11 devices over distances, so they perform as well as their wired equivalents.
- C.WEP represents the first attempt at designing an algorithm to protect wireless communication from eavesdropping.
- D.WEP allows wireless access point administrators to require user names and passwords of users who want to connect to the wireless access point.

**Correct:C**

**9.Which two (2) actions might a rootkit perform? (Choose TWO.)**

- A.Monitor disk activity on the root volume.
- B.Install security tools in root's home directory.
- C.Provide remote access to a computer by opening ports.
- D.Hide its presence by installing modified versions of system commands
- E.Provide a set of tools that allow the system administrator to monitor security events.

**Correct:C E**

**10.\_\_\_\_\_ is a command-line tool that displays the headers of packets seen by a computer's network interface card.**

- A.arp
- B.ping
- C.netstat
- D.tcpdump

**Correct:D**