

# ***KillTest***

高品質 より良いサービス



## 練習問題

<https://www.killtest.jp>

1年間無料アップデート

**Exam : ATA02**

**Title : Designing a Blue Prism  
(Version 6.0) Environment**

**Version : DEMO**

1.Which of the following methods would be a valid approach for capturing process execution errors?

(Select 3)

- A. Calling an external program to send SNMP traps.
- B. Logging to event log and collecting via an external tool.
- C. Selecting "send to external monitoring tool" from the Blue Prism process designer.
- D. Generating emails from the process.

**Answer:** ABD

2.What must be considered before operating multiple Runtime Resources on a single Windows desktop?

(Select 1)

- A. There are no conditions, only one Runtime Resource can be set to listen per Windows session.
- B. Each Runtime Resource must listen on a different port and the processes which run on the device must not impact other processes on the same device.
- C. Each Runtime Resource must listen on the same port and the processes which run on the device must not impact other processes on the same device.
- D. Each Runtime Resource must listen on a different port.

**Answer:** B

3.What restrictions should be considered if using XenDesktop for delivery of the Runtime Resources?

(Select 2)

- A. Login Agent must be used to initiate the login to the device vs the Citrix Client.
- B. Only version 5 of Blue Prism is supported with XenDesktop.
- C. Login Agent is only supported from version 7.6 of XenDesktop, due to restrictions on 3rd party credential provider support prior to this.
- D. XenDesktop is not a supported platform for the Runtime Resource.
- E. Surface Automation will need to be used for all automations.

**Answer:** AC

4.What should be considered when configuring high availability and disaster recovery scenarios for availability of Business Processes managed by Blue Prism? (Select 2)

- A. Resource pools and Active Queues can be used to distribute work to Runtime Resources which are online
- B. The Runtime Resources are "stateful" devices, therefore any failure or maintenance event should also be taken into account in the process design and scheduling methodology
- C. Using a load balancer and 2 application servers will ensure high availability of an automated process
- D. Use the setting within a Blue Prism Process to force a process to fail over to an alternative Runtime Resource in the event of a failure.

**Answer:** AC

5.When is virtualization of a dedicated Interactive Client System most appropriate? (Select 2)

- A. Interactive Clients should never be virtualized
- B. For Process Development - it helps to ensure the Interactive Client has the same configuration as the virtualized Runtime Resources
- C. Where the developers are geographically separate to the Blue Prism environment

- D. To ensure a high-latency connection between the Interactive Client and the Application Server
- E. Whenever runtime resources are virtualized

**Answer:** CD