KillTest

更に上のクオリティ 更に上のサービス



問題集

http://www.killtest.jp 1年で無料進級することに提供する Exam : C1000-077

Title : IBM Spectrum Protect Plus

V10.1.5 Implementation

Version: DEMO

- 1. What is the purpose of establishing identities in IBM Spectrum Protect Plus?
- A. to allow login to the IBM Spectrum Protect Plus GUI
- B. to provide credentials for updating the vSnap storage servers
- C. to provide credentials for connecting to a hypervisor or application
- D. to allow all the user IDs to create reports

Answer: C

2.A Microsoft SQL backup with logs enabled is failing.

Which protocol should be enabled?

- A. NFS
- B. iSCSi
- C. SMB
- D. OpenSSH

Answer: C

- 3. Which restore task will cause an Exchange restore to be displayed in the Active Resources pane Spectrum Protect Plus server?
- A. Duplicate
- B. Granular
- C. Active
- D. Production

Answer: B

- 4. What is true of IBM Spectrum Protect Plus catalog backup?
- A. The catalog backup can be copied to supported cloud storage using S3.
- B. The catalog backup must be configured using the Rest API of IBM Spectrum Protect Plus.
- C. The catalog backup must be run after a vSnap inventory is run.
- D. The catalog backup is automatically configured to a site called Secondary after install.

Answer: B

- 5. What is true about an encrypted Windows filesystem and indexing/restores?
- A. Encrypted Windows filesystems do not allow indexing/restores.
- B. Windows server 2016 or newer encrypted filesystems allow indexing/restores.
- C. The encrypted filesystem must be owned by vsnap system admin account.
- D. Encrypted Windows filesystem have no effect on Indexing/restores.

Answer: D