

KillTest

更に上のクオリティ 更に上のサービス



問題集

<http://www.killtest.jp>

1年で無料進級することに提供する

Exam : **C2150-197**

Title : IBM Security Identity
Manager V6.0
Implementation

Version : DEMO

1.Which is true for the relationship between provisioning policies, services, and roles?

- A. A provisioning policy governs only services that are associated the same business unit or sub tree of the business unit with which the policy is associated. A role referenced in the provisioning policy must be associated the same business unit or sub tree of the business unit with which the policy is associated.
- B. A provisioning policy governs only services that are associated the same business unit or sub tree of the business unit with which the policy is associated. A role referenced in the provisioning policy can be anywhere in the tree of the organization.
- C. A provisioning policy governs services that are anywhere in the tree of the organization. A role referenced in the provisioning policy must be associated the same business unit or sub tree of the business unit with which the policy is associated.
- D. A provisioning policy governs services that are anywhere in the tree of the organization. A role referenced in the provisioning policy can be anywhere in the tree of the organization.

Answer: A

Explanation:http://www01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/planning/cpt/cp_t_ic_plan_orgtree_scope_polprov.htm

2.When applying an IBM Security Identity Manager (ISIM) fixpack in a clustered ISIM installation which statement is correct?

- A. Websphere application and messaging clusters must be stopped prior to installing the ISIM fixpack.
- B. Websphere application and messaging clusters must be running prior to installing the ISIM fixpack.
- C. All Websphere processes must be stopped prior to installing the ISIM fixpack.
- D. All Websphere processes must be running prior to installing the ISIM fixpack.

Answer: A

3.Which actions are best practice for securing IBM Security Identity Manager LDAP data?

- A. Disabling anonymous read access, enabling SSL communication only
- B. Allow only read access to IBM Security Identity Manager LDAP
- C. Run the IBM Security Identity Manager server as non-root user
- D. Enabled WebSphere global security

Answer: A

Explanation:http://www01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/securing/cpt/cp_t_ic_security_ssl_recommend.htm?lang=en(expand security, and click secure environment practices, see table 1)

4.When gathering requirements for a Provisioning Policy design, which type of owner is used for orphan accounts?

- A. An owner with a contractor email address
- B. An account manager
- C. An account owner
- D. A group owner

Answer: B

5.When gathering requirements for setting the Password policy which two tasks should be identified for system-wide password settings? (Choose two)

- A. Synchronizing password changes for all sponsor accounts
- B. Enabling forgotten password authentication
- C. Enabling forgotten password date rule
- D. Creating a password strength rule
- E. Creating a password notation rule

Answer: B,D