

KillTest

更に上のクオリティ 更に上のサービス



問題集

<http://www.killtest.jp>

1年で無料進級することに提供する

Exam : **C4090-450**

Title : **Midrange Storage Sales V1**

Version : **DEMO**

1.A customer needs a storage solution for archiving his CCTV (closed circuit television) workload.

What is the best cost performance optimized solution?

- A. IBM Storwize V3700 with SSD only
- B. IBM Storwize V3700 with 10K rpm drives and SSD
- C. IBM Storwize V3700 with 15Krpm drives
- D. IBM Storwize V3700 with turbo feature and NL-SaS drives

Answer: D

Explanation/Reference:

<http://public.dhe.ibm.com/common/ssi/ecm/en/tsd03157usen/TSD03157USEN.PDF>

2.Through analysis of a customer environment it has been determined that they need to add about 8TB of Tier 0 Storage. The customer is also planning to add 10 TB of space with Storwize V7000.

What is the best option of adding the Tier 0 space?

- A. Add SSDs to the Storwize V7000 configuration.
- B. Externally visualize a Flash System 820 with the Storwize V7000
- C. Add an additional Storwize V7000 with SSDs and cluster together.
- D. Externally virtualize a Storwize V3700 with SSDs included in the system

Answer: A

3.After identifying a customer business requirements and gathering information on their storage environment. The sales specialist determines that the IBM Storwize V7000 would be the ideal solution for this customer because they are.

- A. A SAS attach server environment
- B. An IBM IOS version 7 customer
- C. A small mainframe customer with a Z590 with z/OS
- D. A system Z customer running z/OS with DS8000 storage.

Answer: B

4.An existing IBM storage customer is looking to increase the capacity on their DCS3700. Where would the sales specialist go to download the capacity calculator in order to do this?

- A. STG Storage sales accelerator tools portal.
- B. IBM support portal website
- C. ibmdsseries.com website
- D. Competeline website.

Answer: C

5.During a meeting with a customer they discuss a data base application that has very high I/O requirements.

What IBM storage solution should be discussed with this customer?

- A. DS3500
- B. Storwize V3700
- C. N3240
- D. Flashsystem 820

Answer: D

Explanation/Reference:

<http://public.dhe.ibm.com/common/ssi/ecm/en/tsw03192usen/TSW03192USEN.PDF>

6.A customer with an existing TS3100 tape library has a need to add an additional LTO6 half height drive. They have existing LTO4 tapes.

Choose the appropriate access level that the LTO6 will provide them.

- A. The customer will be able to write to the LTO4 but unable to read
- B. The customer will be able to write and read from LTO4 media
- C. The customer will be able to read and will be unable to write to the LTO4 media
- D. The customer will be unable to access LTO4 media

Answer: C

7.Performance data for the Storwize V7000 can be viewed through which means?

- A. Only through a Storwize V7000 GUI interface
- B. Only through Tivoli Storage Productivity Center
- C. Both Storwize V7000 GUI interface and Tivoli Storage Productivity Center
- D. Only through the C/MOM and only with Tivoli Storage Productivity Center Select

Answer: C

Explanation/Reference:

https://publib.boulder.ibm.com/infocenter/tivihelp/v4r1/index.jsp?topic=%2Fcom.ibm.tpc_V422.doc_%2Ffqz0_r_whats_new_release_4.2.2.html

8.A customer is running a different host protocols in their data center. What host protocols can be connected to the Storwize V7000, if the customer wants to gain benefits from the embedded Real Time Compression function?

- A. FCoe and FCP
- B. iSCSI, FCoe and FCp
- C. FCP and Ethernet
- D. SAS, FCP and FCoE

Answer: B

9.A customer has a need for a midrange Storage Solution that provides both block and file access and also supports 200 snapshots per volume.

What solution best meets the customer needs.

- A. IBM N6210
- B. IBM Storwize V3700
- C. IBM TS7620
- D. IBM DCS3700

Answer: A

10.What organization within IBM provides pre-sales Technical Support to both IBM and Business partners areas such as configuration support and technical Q&A.

- A. Lab services
- B. Techline

C. ATS

D. Compete Center

Answer: B