KillTest

高品質　より良いサービス



# 練習問題

https://www.killtest.jp

1年間無料アップデート

**Exam** : **C8010-474**

**Title** : IBM Tealeaf Customer Experience Management V8.7,Business Analysis

**Version** : DEMO

1.What is the default strike character used to mask data in a privacy rule?
A. *
B. #
C. X
D. o
**Answer:** C

2.Which two sections in the request are fully indexed by default?
A. [env]
B. [urlfield]
C. [cookies]
D. [appdata]
E. [timestamp]
F. [TimeBlock]
**Answer:** B,D

3.An event is needed to identify tablet users based on the user agent value in the request.
Which Value to Track should this event use?
A. Last Per Session
B. First Per Session
C. Every Occurrence
D. All Values On Page
**Answer:** B

4.Following customer reports of an error on the web site, a hit attribute is created to look for the error text "Error 500 - try again later" in the response on every page. Management has requested a report on the number of sessions affected by the error. This requires creating an event with the above hit attribute as the condition and a value type of "Count Only".
Which tracking option should be selected for this event?
A. Final Value
B. Cumulative Value
C. First Per Session
D. Every Occurrence
**Answer:** C

5.An event modeler is tasked with creating a report that shows the percent of sessions with failed searches. The event modeler creates a new event to record failed searches.
What should be chosen to track this event?
A. Every Hit
B. First per Session
C. Every Occurrence
D. First Hit of Session
**Answer:** B