

# *KillTest*

更に上のクオリティ 更に上のサービス



## 問題集

<http://www.killtest.jp>

1年で無料進級することに提供する

**Exam** : **C\_TADM51\_70**

**Title** : SAP Certified Technology  
Associate - System  
Administration (Oracle DB)  
with SAP NetWeaver 7.0

**Version** : Demo

1.Oracle database offers different types of indexes. Which are valid index types? (Choose two.)

- A. Bitmap index
- B. Unique master index
- C. Dictionary index
- D. Balanced tree (B\*tree) index

**Answer:** A,D

2.Regarding the object, TemSe, of the SAP spool system, which of the following statements are correct.? (Choose two.)

- A. TemSe stores, for example, spool data.
- B. TemSe always stores the spool requests in the database.
- C. The instance parameter "rspo/store\_location" determines where TemSe data is stored.
- D. TemSe is always an operating system file.

**Answer:** A,C

3.Which tools in the SAP NetWeaver AS 7.00 ABAP and Java Stack are responsible for the registration process in the System Landscape Directory (SLD)? (Choose two.)

- A. The whole mechanism to register an ABAP based SAP system is event triggered. Once a change in the configuration happens, a background job informs the SLD.
- B. The transaction RZ21 allows the configuration of the SLD connection.
- C. SAP systems based on AS Java can register to the SLD using the SLD Data Supplier Service in Visual Administrator.
- D. The main ABAP transaction to inform the SLD is RZ70. The SAP gateway is involved.
- E. SAP systems based on AS Java cannot register to the SLD.

**Answer:** C,D

4.You are using the profile maintenance (transaction code RZ10) to configure profiles and profile parameters of an AS ABAP+Java based SAP system. Which profiles of the system you can maintain in RZ10?

- A. You can maintain the default profile as well as the start and instance profiles of the ABAP+Java application servers. However, you cannot maintain the start and instance profiles of the Java central services instance.
- B. Only the default profile and the start profiles can be maintained, because the instance profiles contain AS Java relevant parameters which cannot be maintained by the ABAP programs used in transaction RZ10.
- C. All profiles (start profiles, instance profiles, default profile) of the system can be maintained.

**Answer:** A

5.In SAP NetWeaver 7.0, several components need the ABAP and the JAVA stack. The customer has decided to install both stacks in one database. A default schema user is created for each stack. In which Oracle database table are these users physically stored and how are they named? The SAP is LNX and the instance number is 03. (Choose two.)

- A. Table.dba\_users; JAVA schema owner: SAP<SCHEMA-ID>DB
- B. Table.dba\_user; Java user: ORALNXDB

- C. Table.users; ABAP and JAVA Schema owner: SAPLNK
- D. Table.dba\_users; ABAP schema owner: SAP<SCHEMA-ID>
- E. Table.dba\_user; ABAP schema owner: ORALNK

**Answer:** A,D

6.Which of the following are repository objects in an AS ABAP-based SAP system? (Choose two.)

- A. Screens (Dynpros)
- B. Buffer areas
- C. Programs
- D. Client-independent customizing settings

**Answer:** A,C

7.Which data sources are supported by the User Management Engine (UME) of AS Java? (Choose three.)

- A. A UDDI provider
- B. The database of the AS Java
- C. A client of an AS ABAP based SAP system
- D. A directory server (LDAP)
- E. A file (also called secure store)

**Answer:** B,C,D

8.The Integrated Log Viewer is presented as a service of SAP NetWeaver AS Java. It provides runtime control for working with log messages.

Which of the following statements about the Integrated Log Viewer is true?

- A. The Integrated Log Viewer can merge logs within an SAP NetWeaver AS Java instance.
- B. The Integrated Log Viewer provides options for log and trace configuration. You can add new locations and categories and change the configuration of the existing ones.
- C. Log Viewer is the right tool for setting and modifying Severity levels.

**Answer:** A

9.Which of the following statements is correct regarding transport domains and transport groups in ABAP-based SAP Systems? (Choose two.)

- A. All SAP Systems within one transport group have a common transport directory.
- B. A transport domain consists of the client-independent table TDOM (the transport domain table), into which all transports (exports or imports) in the SAP System are logged.
- C. All SAP Systems in a transport domain must belong to the same transport group.
- D. A transport domain can only be set up if more than one application server is installed.
- E. All SAP Systems within one transport domain have RFC destinations (names beginning with "TMS...") pointing to the same transport domain controller system.

**Answer:** A,E

10.The software component SAP ECC 6.0 runs on which of the following?

- A. SAP NetWeaver Application Server 7.00
- B. SAP Basis 4.6D

C. SAP Web Application Server 6.40

D. SAP NetWeaver Application Server 7.10

**Answer: A**