

# *KillTest*

更に上のクオリティ 更に上のサービス



## 問題集

<http://www.killtest.jp>

1年で無料進級することに提供する

**Exam** : **E20-307**

**Title** : VMAX3 Solutions Specialist  
Exam for Implementation  
Engineers

**Version** : DEMO

1. Please check the option that best describes your relationship with Dell EMC:

- A. Dell EMC Employee
- B. Dell EMC Customer/Partner
- C. Other

**Answer: C**

2. CORRECT TEXT

Please enter your Powerlink Username below. If you do not have a Powerlink Username or do not know your Powerlink Username enter none.

Powerlink Username:

- A. Varies

**Answer: A**

3. What are pre-configured in VMAX3 and VMAX All Flash arrays?

- A. SRDF devices
- B. Gatekeeper devices
- C. Thin devices
- D. Data devices

**Answer: C**

4. A TimeFinder SnapVX snapshot of source volumes has been linked to target volumes. The target volumes are being used for application testing. What should be done prior to a relink operation?

- A. Continue accessing the source volumes, stop accessing the target volumes.
- B. Continue accessing the source and target volumes.
- C. Stop accessing the source and target volumes.
- D. Stop accessing the source volumes, continue accessing the target volumes

**Answer: A**

5. A VMAX3 parent Storage Group (SG) contains two child SGs: SG1 and SG2. What is a valid bandwidth limit setting for this cascaded Storage Group?

- A. Parent SG – 400; SG1 – 500; SG - 200
- B. Parent SG – 400; SG1 – 500; SG - NOLIMIT
- C. Parent SG – 500; SG1 – 500; SG - 400
- D. Parent SG – 500; SG1 – NOLIMIT; SG - 1000

**Answer: C**