

# *KillTest*

更に上のクオリティ 更に上のサービス



## 問題集

<http://www.killtest.jp>

1年で無料進級することに提供する

**Exam** : **E20-893**

**Title** : NetWorker Expert Exam for  
Implementation Engineers

**Version** : DEMO

1.A Dell EMC NetWorker Module for Microsoft VSS-based recovery of a Microsoft SQL AlwaysOn Availability Group must be performed.

What is the first step a database administrator must complete prior to recovering the database?

- A. Suspend the replication process between the primary and secondary replicas.
- B. Delete the secondary database on the secondary replica server.
- C. Remove the target database from the Availability Group.
- D. Start the recovery process using the native tools in SQL Server Management Studio.

**Answer: D**

2.A Dell EMC administrator is configuring a new SAP with Oracle environment.

What is a consideration when configuring backups using NMSAP?

- A. Restartable backups are not supported.
- B. SAP and Oracle must be deployed on physical servers.
- C. Probe-based backups are supported.
- D. Only offline Oracle database backups are supported.

**Answer: C**

**Explanation:**

Reference: <https://www.emc.com/collateral/TechnicalDocument/docu81618.pdf>

3.A Dell EMC NetWorker administrator notices that the NetWorker backups to a Data Domain system are not completing within the backup window.

Which best practice can be implemented to improve performance?

- A. Start with 32 save streams per drive and tune by decreasing and monitoring performance.
- B. Distribute the backup start times throughout the backup window to balance the load.
- C. Disable Client Direct to ensure the backup goes through the storage node.
- D. Start the backup start times as close together as possible to complete early in the backup window.

**Answer: B**

4.A Dell EMC NetWorker customer has Microsoft Windows 2012 R2 Hyper-V clustered servers. They plan to back up the VMs in Hyper-V using NMM.

What is an NMM backup requirement for this environment?

- A. Only non-federated backups are supported for Windows server Hyper-V CSV
- B. Disable incremental backups and enable only full backups
- C. Forever incremental backups must be used for AFTD devices
- D. Use NetWorker BBB to create consistent point-in-time snapshots

**Answer: B**

**Explanation:**

Reference: <https://www.emc.com/collateral/TechnicalDocument/docu81466.pdf>

5.A Dell EMC NetWorker administrator wants to configure a Microsoft Exchange DAG backup for their environment.

Which action should occur to create a user and assign the required privileges?

- A. Manually create the user and only assign the Exchange Admin privilege
- B. Use the NetWorker Management Console

- C. Manually create the user and only assign the Security group membership on the domain controller
- D. Use the NMM Exchange Admin Configuration Tool

**Answer: D**