

# ***KillTest***

高品質 より良いサービス



## 練習問題

<https://www.killtest.jp>

1年間無料アップデート

**Exam : HCL-BF-PRO-11**

**Title :** HCLSoftware U  
Professional - BigFix  
Platform 11

**Version :** DEMO

1.Which factors determine whether a Console Operator can take actions on an endpoint?

- A. Their assigned role's permissions
- B. Their approval from the Master Operator
- C. Whether they are subscribed to the relevant external site
- D. Whether the endpoint is online

**Answer:** A,D

2.What data points are commonly used in inline reports in WebUI?

- A. Patch status by device
- B. Relevance run history
- C. Compliance level of Fixlets
- D. Client latency statistics

**Answer:** A,C

3.What are valid targets for deploying a baseline?

- A. Manual computer group
- B. LDAP-integrated user role
- C. Automatic group
- D. Web Reports schedule

**Answer:** A,C

4.What is the first action required before initiating an Airgap installation of the BigFix platform in a secured environment?

- A. Setting up a BigFix Relay to proxy internet content
- B. Importing plugin certificates
- C. Generating an AirgapRequest.xml from the root server
- D. Running the BigFix Administration Tool to configure sites

**Answer:** C

5.Which design decisions contribute to a scalable and efficient BigFix relay infrastructure in large deployments? (Select all that apply)

- A. Ensuring that each relay services no more than 100 clients
- B. Placing relays close to endpoints based on network topology
- C. Using persistent connections for all relays
- D. Deploying relays in isolated VLANs to prevent overreach

**Answer:** B,C