

KillTest

更に上のクオリティ 更に上のサービス



問題集

<http://www.killtest.jp>

1年で無料進級することに提供する

Exam : **HP0-719**

Title : OpenView Operations(7.x)-
Windows

Version : DEMO

1.Which two of the following are visual indicators that the OVO for Windows 7.x management server has been successfully installed? Choose 2 that apply.

- A.An OVO for Windows Console shortcut on the Windows Desktop
- B.An HP OpenView folder added to the Windows Start Menu
- C.An OVO for Windows subdirectory under \Program Files
- D.A Hewlett-Packard subdirectory under \Winnt
- E.An MS SQL Server icon in the Windows system tray

Correct:B E

2.Choose the TRUE statement regarding the automatic deployment of the OVO for Windows agent to a UNIX node.

- A.This is default behavior when you add a node using the Node Configuration Editor.
- B.You enter the root password when you add the node in the Node Configuration Editor.
- C.You drag-and-drop the operations Agent package to the node and enter the root password.
- D.You check the Auto-Deploy to Node box in the General tab of the Node Properties dialog box.
- E.The agent CANNOT be automatically deployed.

Correct:E

3.If you want to collect metrics from the embedded performance component, what is the name of the data source that you have to use?

- A.MDC
- B.Coda
- C.MWA
- D.Perflib

Correct:B

4.What method should be used to obtain information, (for example, version, installed patches, etc.), about the current OVO for Windows installation?

- A.use vpsstat
- B.use OVO for Windows -ver
- C.use opcwhat
- D.use ovstatus

Correct:A

5.The Web console CANNOT filter messages based on _____

- A.Message Group
- B.Severity
- C.Object Name
- D.Service Name
- E.Time

Correct:D