

KillTest

更に上のクオリティ 更に上のサービス



問題集

<http://www.killtest.jp>

1年で無料進級することに提供する

Exam : **HP0-756**

Title : HP ProCurve Secure
Mobility Solutions

Version : DEMO

1.Which statement is true about the date and time configuration of the 700wl devices?

- A.Time settings must be dynamically acquired or statically defined each time the 740wl is rebooted.
- B.The 740wl can be configured to obtain time services from an NTP server.
- C.The 740wl and each 720wl cannot be configured to obtain time services from different servers.
- D.The 720wl acquires its time settings from the 740wl.

Correct:B

2.You are configuring a 740wl at a customer site. To set the shared secret without echoing it to the console, you must enter set sharedsecret with _____

- A.the noecho parameter
- B.the shared secret as a parameter
- C.no parameters
- D.the administrative password

Correct:C

3.At a customer site, you are configuring an HP ProCurve Access Control Server 740wl. Which tasks can be performed at the CLI? Select TWO.

- A.configure IP address
- B.configure a connected 720wl
- C.set administrative password
- D.add users to built-in database
- E.configure LDAP authentication

Correct:A C

4.Match each of the message types with the correct definition.

Place each term next to its definition.

Term	Definition
(place here)	Sent from 720wl to 740wl. Contains MAC address of client and port to which the client is connected.
(place here)	Sent from 740wl to 720wl. Contains rights for unauthenticated client.
(place here)	Sent from 720wl to 740wl. Contains MAC address, port, client's user name and password.
(place here)	Sent from 740wl to 720wl. Contains a list of specific rights for authenticated client.

Rights Request Association Request Rights Response Association Response Done

Correct:

Green choice2---->Yellow Choice3

Green choice3---->Yellow Choice4

Green choice4---->Yellow Choice2

Green choice1---->Yellow Choice1

5.You are troubleshooting an HP ProCurve Integrated Access Manager 760wl that is not reachable through the web or Telnet. Which information about the device's configuration can be gathered from the LCD panel on the device's front panel? Select TWO.

- A.system time
- B.system uptime
- C.IP addressing information

D.number of transmitted packets

E.installed software version

Correct:C E