

# ***KillTest***

高品質 より良いサービス



## 練習問題

<https://www.killtest.jp>

1年間無料アップデート

**Exam : PSE-Prisma-Pro-24**

**Title :** Palo Alto Networks System  
Engineer - Prisma Cloud  
Professional

**Version :** DEMO

- 1.How can all alerts related to "Amazon RDS" be quickly identified within the Prisma Cloud dashboard?
- A. Generate a Center for Internet Security (CIS) compliance report and search for "Amazon RDS" policy violations.
  - B. View the alert data on the "Asset Inventory" dashboard and filter on "Amazon RDS".
  - C. Within the "Alerts" tab, filter on "Amazon RDS" as a service.
  - D. Create a custom Resource Query Language (RQL) configuration report.

**Answer: C**

- 2.Which two actions are appropriate when configuring Prisma Cloud to scan a registry? (Choose two.)
- A. Allow Prisma Cloud to automatically optimize registry scans with version pattern matching.
  - B. Allow Prisma Cloud to automatically distribute the scan job across a pool of available Defenders.
  - C. Explicitly specify the Defender to do the job.
  - D. Explicitly specify the predefined version pattern-matching algorithm.

**Answer: A B**

- 3.Which regulatory framework in Prisma Cloud measures compliance with European Union (EU) data privacy regulations in Amazon Web services (AWS) workloads?
- A. General Data Protection Regulation (GDPR)
  - B. International Organization for Standardization (ISO) 27001
  - C. Payment Card Industry (PCI) Data Security Standard (DSS) 3.0
  - D. EU Data Protection Directive 95/46/EC

**Answer: A**

- 4.What resource is required to receive inbound traffic from the internet to VM-Series NGFW deployed as a gateway for Azure Stack workloads?
- A. Public IP for the VM-Series NGFW
  - B. NAT appliance
  - C. Azure Stack Edge Router
  - D. Border Customer Network

**Answer: B**

- 5.Which RQL string searches for all EBS volumes that do not have a "DataClassification" tag?
- A. config where api.name = 'aws-ec2-describe-volumes, AND json.rule = tags[\*]key contains DataClassification
  - B. config where api.name = 'aws-ec2-describe-volumes' AND json.rule = tags[\*]key != DataClassification
  - C. config where api.name = 'aws-ec2-describe-volumes' AND json.rule = tags[\*].key exists
  - D. config where api.name = 'aws-ec2-describe-volumes' AND json.rule = tags[\*].key = 1

**Answer: B**